AMENDMENT TO THE CLAIMS

Please amend claims 20 and 31 as follows:

Claims 1-19 and 37-50 were canceled by preliminary amendment.

- 20. (Currently Amended) A computer readable medium on a mobile device, the computer readable medium having a first data structure stored thereon, the first data structure comprising:
 - an address information portion indicative of an address over which the mobile device receives <u>content</u> messages <u>corresponding to a subscribed service;</u>
 - an address tag portion indicative of a tag associated with the address portion;
 - an expiration date portion indicative of an a subscription expiration date associated with the address, wherein subsequent content messages corresponding to the subscribed service, received over the address after the expiration date, are discarded;
 - a key index portion indicative of a location on the computer readable medium storing an encryption key associated with the messages received over the address; and
 - a status portion indicative of a status of the address.
- 21. (Original) The computer readable medium of claim 20 wherein the status portion is indicative of whether the address is enabled.
- 22. (Original) The computer readable medium of claim 20 wherein the status portion is indicative of whether messages received over the address have a predetermined priority indicative

of a time within which the messages are processed.

- 23. (Original) The computer readable medium of claim 20 wherein the status portion is indicative of whether a message received over the address are enabled only under predetermined power conditions.
- 24. (Original) The computer readable medium of claim 20 wherein the first data structure includes:
 - an address name portion indicative of a descriptive name of the address.
- 25. (Original) The computer readable medium of claim 20 wherein the first data structure includes:
 - a description portion indicative of descriptive text describing the messages received over the address.
- 26. (Previously Amended) The computer readable medium of claim 20 and further comprising a second data structure stored on the mobile device, the second data structure including:
 - an encryption key portion indicative of an encryption key used to decrypt a received message;
 - an encryption algorithm portion indicative of an encryption algorithm used to encrypt the message;
 - a key tag portion indicative of a key tag associated with the encryption key.
- 27. (Original) The computer readable medium of claim 26 and further comprising a third data structure stored on the mobile device, the third data structure including:
 - a service group code portion indicative of a service group code over which the mobile device receives

messages;

- a status portion indicative of a status of the service group code;
- a key index portion indicative of a location on the computer readable medium which stores an encryption key associated with the messages received over the service group code;
- an expiration date portion indicative of an expiration date associated with the service group code, wherein subsequent messages received over the service group code after the expiration date are discarded; and
- a service group tag indicative of a tag associated with the service group code.
- 28. (Original) The computer readable medium of claim 27 wherein the mobile device includes a radio receiver and wherein the first, second and third data structures are stored on the radio receiver.
- 29. Previously Cancelled.
- 30. Previously Cancelled.
- 31. (Currently Amended) A computer readable medium on a mobile device, the computer readable medium having a data structure stored thereon, the data structure comprising:
 - a service group code portion indicative of a service group code over which the mobile device receives content messages corresponding to a subscribed service;
 - a status portion indicative of a status of the service group code;

- a key index portion indicative of a location on the computer readable medium which stores an encryption key associated with the messages received over the service group code;
- an expiration date portion indicative of an a subscription expiration date associated with the service group code, wherein subsequent content messages corresponding to the subscribed service, received over the service group code after the expiration date, are discarded; and
- a service group tag indicative of a tag associated with the service group code.
- 32. (Original) The computer readable medium of claim 31 wherein the data structure comprises:
 - a service group name portion indicative of a descriptive name for the service group code.
- 33. (Original) The computer readable medium of claim 31 wherein the data structure comprises:
 - a description portion indicative of descriptive text describing messages received over the service group code.
- 34. (Original) The computer readable medium of claim 31 wherein each service group code they have associated addresses and are stored in a location arranged according to the address and then according to service group code.
- 35. (Original) The computer readable medium of claim 31 wherein the mobile device includes a radio receiver and wherein the data structure is stored on the radio receiver.

36. (Original) The computer readable medium of claim 31 wherein the computer readable medium includes a key table and wherein the key index is indicative of a location in the key table which holds the encryption key.